

[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#) | [Transportation](#)

Facility Details

Facility ID 15998
Company Name UNITED READY MIXED CONCRETE CO INC
Address 4988 E FIRESTONE BLVD
SOUTH GATE, CA 90280

[View Area Map](#)

Status SOLD

SIC Code	Description
3273	READY-MIXED CONCRETE

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



[Search Again](#) |
 [Search Results](#) |
 [Facility Details](#) |
 [Equipment List](#) |
 [Compliance](#) |
 [Emissions](#) |
 [Hearing Board](#) |
 [Transportation](#)

Equipment List

Facility ID 15998
Company Name UNITED READY MIXED CONCRETE CO INC
Address 4988 E FIRESTONE BLVD
 SOUTH GATE, CA 90280

Appl_Nbr	Permit_Nbr	Issued_Date	Permit_Status	Eq_Type	Equip_Description	Appl_Date	Appl_Status
214096	M94157	7/ 4/ 1990	INACTIVE	Basic	SERV STAT STORAGE & DISPENSING GASOLINE	10/ 12/ 1989	PERMIT TO OPERATE GRANTED
136338	M48292	4/ 28/ 1986	INACTIVE	Basic	STORAGE TANK CEMENT	8/ 30/ 1985	PERMIT TO OPERATE GRANTED
136338	M48292	4/ 28/ 1986	INACTIVE	Control	BAGHOUSE	8/ 30/ 1985	PERMIT TO OPERATE GRANTED
135842	M48291	4/ 28/ 1986	INACTIVE	Basic	CONCRETE BATCH EQUIPMENT	8/ 15/ 1985	PERMIT TO OPERATE GRANTED
135842	M48291	4/ 28/ 1986	INACTIVE	Control	BAGHOUSE, AMBIENT TEMP (>500 SQ FT)	8/ 15/ 1985	PERMIT TO OPERATE GRANTED
135375	M48290	4/ 28/ 1986	INACTIVE	Basic	CONCRETE BATCH EQUIPMENT	7/ 29/ 1985	PERMIT TO OPERATE GRANTED
135374	M48289	4/ 28/ 1986	INACTIVE	Basic	STORAGE TANK CEMENT	7/ 29/ 1985	PERMIT TO OPERATE GRANTED
135375	M48290	4/ 28/ 1986	INACTIVE	Control	BAGHOUSE	7/ 29/ 1985	PERMIT TO OPERATE GRANTED
A21685	P06018	11/ 18/ 1964	INACTIVE	Basic	AGGREGATE CONVEYING		PERMIT TO OPERATE GRANTED
A47570	P24598	2/ 20/ 1968	INACTIVE	Basic	CEMENT CONVEYING		PERMIT TO OPERATE GRANTED
A68869	P49662	5/ 24/ 1972	INACTIVE	Basic	CONCRETE BATCH EQUIPMENT		PERMIT TO OPERATE GRANTED
A68870	P49663	5/ 24/ 1972	INACTIVE	Basic	CONCRETE BATCH EQUIPMENT		PERMIT TO OPERATE GRANTED
A68869	P49662	5/ 24/ 1972	INACTIVE	Control	BAGHOUSE		PERMIT TO OPERATE GRANTED
A68870	P49663	5/ 24/ 1972	INACTIVE	Control	BAGHOUSE		PERMIT TO OPERATE GRANTED

[First](#) [Prev](#) Page 1 of 1 (14 records) [Next](#) [Last](#) Page [Export To Excel](#)



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to CONSTRUCT/OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

PERMIT NO.
M94157
A/N 214096
PAGE 1

THIS INITIAL PERMIT MUST BE RENEWED BY 6/1 ANNUALLY UNLESS THE EQUIPMENT IS MOVED, OR CHANGES OWNERSHIP. IF THE BILLING FOR ANNUAL RENEWAL FEE (RULE 301.F) IS NOT RECEIVED BY THE EXPIRATION DATE, CONTACT THE DISTRICT.

LEGAL OWNER
OR OPERATOR: UNITED READY MIXED CONCRETE CO INC

CC. ID.: 015998**SECTOR: LC**

EQUIPMENT
LOCATED AT: 4988 E FIRESTONE BL
SOUTH GATE, CA 902810000

EQUIPMENT DESCRIPTION:
FUEL STORAGE AND DISPENSING FACILITY CONSISTING OF:

- 1. ONE UNDERGROUND DIESEL STORAGE TANK(S),**
(EACH) 12,000 GALLON CAPACITY, NOT METHANOL COMPATIBLE
- 2. ONE DIESEL DISPENSING NOZZLES.**

PERMIT CONDITIONS:

- 1. OPERATION OF THIS EQUIPMENT MUST BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.**
- 2. THIS EQUIPMENT MUST BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.**
- 3. (EXCEPT FOR DIESEL TRANSFERS) PHASE I AND PHASE II VAPOR RECOVERY SYSTEMS MUST BE IN FULL OPERATION WHENEVER THIS FACILITY IS IN USE. SUCH SYSTEMS MUST BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CARB CERTIFICATION REQUIREMENTS.**

THIS PERMIT CONCLUDES ON THE NEXT PAGE.

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to CONSTRUCT/OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

PERMIT NO.
M94157
A/N 214096
PAGE 2**CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE****NOTICE**

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO CONSTRUCT/OPERATE OR COPY MUST BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

APPROVAL OF THE DEPARTMENT OF PUBLIC WORKS, THE DEPARTMENT OF BUILDING AND SAFETY, THE LOCAL FIRE DEPARTMENT AND/OR THE LOCAL TANK LAW IMPLEMENTING AGENCY IS REQUIRED BEFORE CONSTRUCTION IS STARTED.

THIS PERMIT TO CONSTRUCT/OPERATE IS BASED ON THE PLANS, SPECIFICATIONS, AND DATA SUBMITTED AS IT PERTAINS TO THE RELEASE OF AIR CONTAMINANTS AND CONTROL MEASURES TO REDUCE AIR CONTAMINANTS. NO APPROVAL OR OPINION CONCERNING SAFETY AND OTHER FACTORS IN DESIGN, CONSTRUCTION OR OPERATION OF THE EQUIPMENT IS EXPRESSED OR IMPLIED.

FILE COPY

EXECUTIVE OFFICER**BY RAQUEL PUERTA**
07/04/90**MAILING ADDRESS:**
UNITED READY MIXED CONCRETE CO INC
4988 E FIRESTONE BL

SOUTH GATE, CA 902810000

DATE: 07/04/90
ID: 015998
SECTOR: 1C



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 48292

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR:

UNITED READY MIXED CONCRETE COMPANY INCORPORATED
4988 EAST FIRESTONE BOULEVARD
SOUTH GATE, CALIFORNIA 90280

APP. NO. 136338

PREVIOUS PERMIT NO. P-24598

EQUIPMENT
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

CEMENT RECEIVING AND STORAGE SYSTEM CONSISTING OF:

1. SILO, 1,300 CU. FT. CAPACITY, WITH A PNEUMATIC FILL TUBE.
2. TRUCK UNLOADING STATION WITH A PNEUMATIC UNLOADING TUBE.

-CONDITIONS-

1. THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE SILO IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

2. MATERIAL RECEIVED MUST NOT EXCEED 51 TONS IN ANY ONE DAY

This initial permit must be renewed by 06/01 ANNUALLY
(Rule 301 f) not received by expiration date, contact office above

unless the equipment is moved, or changes ownership if billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART
EXECUTIVE OFFICER

BY MARILYN MARTIN

DATE 04/29/86

XXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 48291

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR:

UNITED READY MIXED CONCRETE COMPANY INCORPORATED

APP. NO. 135842

EQUIPMENT
LOCATED AT:

4988 EAST FIRESTONE BOULEVARD
SOUTH GATE, CALIFORNIA 90280

PREVIOUS PERMIT NO. P-49662

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, CON-FAB, 4-COMPARTMENT, REVERSE AIR CLEANING, 1,400 SQ. FT. TOTAL FILTER AREA, WITH A 2 H.P. LIVEBOTTOM DISCHARGING SCREW CONVEYOR.
2. EXHAUST SYSTEM WITH A 10 H.P. BLOWER VENTING A CEMENT STORAGE SILO, THE BUCKET ELEVATOR OF A CEMENT RECEIVING AND STORAGE SYSTEM AND THE CEMENT WEIGH HOPPER AND THE BATCH DISCHARGING STATION OF A TRANSIT MIXED CONCRETE BATCH PLANT.

FILE COPY

-CONDITION-

DUST COLLECTED IN THE BAGHOUSE MUST BE DISCHARGED ONLY INTO CLOSED CONTAINERS.
This initial permit must be renewed by 06/01 ANNUALLY
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXX

J. A. STUART
EXECUTIVE OFFICER

BY MARILYN MARTIN

DATE 04/28/86



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 48291

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR:

UNITED READY MIXED CONCRETE COMPANY INCORPORATED

EQUIPMENT
LOCATED AT:

4988 EAST FIRESTONE BOULEVARD
SOUTH GATE, CALIFORNIA 90280

APP. NO. 135842

PREVIOUS PERMIT NO. P-49662

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, CON-FAB, 4-COMPARTMENT, REVERSE AIR CLEANING, 1,400 SQ. FT. TOTAL FILTER AREA, WITH A 2 H.P. LIVEBOTTOM DISCHARGING SCREW CONVEYOR.
2. EXHAUST SYSTEM WITH A 10 H.P. BLOWER VENTING A CEMENT STORAGE SILO, THE BUCKET ELEVATOR OF A CEMENT RECEIVING AND STORAGE SYSTEM AND THE CEMENT WEIGH HOPPER AND THE BATCH DISCHARGING STATION OF A TRANSIT MIXED CONCRETE BATCH PLANT.

FILE COPY

-CONDITION-

DUST COLLECTED IN THE BAGHOUSE MUST BE DISCHARGED ONLY INTO CLOSED CONTAINERS.
This initial permit must be renewed by 06/01 ANNUALLY
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXX

J. A. STUART
EXECUTIVE OFFICER

BY MARILYN MARTIN

DATE 04/28/86



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 48290

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR: UNITED READY MIXED CONCRETE COMPANY INCORPORATED
4988 EAST FIRESTONE BOULEVARD
EQUIPMENT
LOCATED AT: SOUTH GATE, CALIFORNIA 90280

APP. NO. 135375
PREVIOUS PERMIT NO. P-49663

EQUIPMENT DESCRIPTION AND CONDITIONS:

BATCH PLANT, TRANSIT MIXED CONCRETE CONSISTING OF:

1. AGGREGATE RECEIVING HOPPER WITH A 20 H.P. DISCHARGING BELT CONVEYOR WITH 4 AIR-OPERATED SCRAPING AGGREGATE DIVERTERS.
2. SURGE BIN, AGGREGATE HOLDING, 4-COMPARTMENT, 300-TON TOTAL CAPACITY.
3. BUCKET ELEVATOR, AGGREGATE TRANSFERRING, 15 H.P. WITH A 3 H.P. CHARGING BELT CONVEYOR.
4. SURGE BIN, AGGREGATE HOLDING, 6-COMPARTMENT, 125-TON TOTAL CAPACITY WITH A 1/4 H.P. CHARGING DISTRIBUTOR.

FILE COPY

PAGE 1 OF 2 PAGES

This initial permit must be renewed by 06/01 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXX

J. A. STUART
EXECUTIVE OFFICER

BY MARILYN MARTIN

DATE 04/28/86

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

M 48290

CONTINUATION OF PERMIT NO. _____
(MUST BE DISPLAYED WITH PERMIT)

APPL. NO. 135375

5. WEIGH HOPPER, AGGREGATE.
6. BELT CONVEYOR, BATCHED AGGREGATE TRANSFERRING, 25 H.P.
7. PNEUMATIC CONVEYOR, CEMENT TRANSFERRING WITH A 25 H.P. BLOWER.
8. WEIGH HOPPER, CEMENT.
9. GATHERING HOPPER, ADJUSTABLE, AIR-OPERATED.

-CONDITIONS-

1. THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE CEMENT WEIGH HOPPER AND THE BATCH DISCHARGING STATION IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
2. AGGREGATE CHARGED, AND AGGREGATE IN PROCESS MUST BE KEPT SUFFICIENTLY MOIST TO PREVENT DUST EMISSIONS.
3. CONCRETE PRODUCED MUST NOT EXCEED 1200 CU. YDS. IN ANY ONE DAY.

2 2
PAGE OF PAGES

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 48289

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR:

UNITED READY MIXED CONCRETE COMPANY INCORPORATED

APP. NO. 135374

4988 EAST FIRESTONE BOULEVARD

PREVIOUS PERMIT NO. P-24598

EQUIPMENT
LOCATED AT:

SOUTH GATE, CALIFORNIA 90280

EQUIPMENT DESCRIPTION AND CONDITIONS:

CEMENT RECEIVING AND STORAGE SYSTEM CONSISTING OF:

1. RECEIVING HOPPER WITH A 5 H.P. DISCHARGING SCREW CONVEYOR.
2. BUCKET ELEVATOR, 5 H.P.
3. SILO, 3,300 CU. FT. CAPACITY, WITH AN INTEGRAL, 200 CU. FT. CAPACITY SURGE BIN, A PNEUMATIC FILL TUBE, TWO PARALLEL RECIRCULATING SCREW CONVEYORS, 10 H.P. EACH AND TWO FILTER VENTS, ONE WITH A 156 SQ. FT. TOTAL FILTER AREA AND ONE WITH 126 SQ. FT. TOTAL FILTER AREA AND AN AIR SHAKER.
4. TRUCK UNLOADING STATION WITH A PNEUMATIC UNLOADING TUBE.

PAGE 1 OF 2 PAGES

This initial permit must be renewed by 06/01 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART
EXECUTIVE OFFICER

BY MARILYN MARTIN

DATE 04/29/96

XXXXX

FILE COPY

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

M 48289

CONTINUATION OF PERMIT NO. _____
(MUST BE DISPLAYED WITH PERMIT)

APPL. NO. 135374

-CONDITIONS-

1. THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE BUCKET ELEVATOR IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
2. CEMENT RECEIVED MUST NOT EXCEED 250 TONS IN ANY ONE DAY.

FILE COPY

2 2
PAGE OF PAGES



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 48290

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER
OR OPERATOR: UNITED READY MIXED CONCRETE COMPANY INCORPORATED
4988 EAST FIRESTONE BOULEVARD
EQUIPMENT
LOCATED AT: SOUTH GATE, CALIFORNIA 90280

APP. NO. 135375
PREVIOUS PERMIT NO. P-49663

EQUIPMENT DESCRIPTION AND CONDITIONS:

BATCH PLANT, TRANSIT MIXED CONCRETE CONSISTING OF:

1. AGGREGATE RECEIVING HOPPER WITH A 20 H.P. DISCHARGING BELT CONVEYOR WITH 4 AIR-OPERATED SCRAPING AGGREGATE DIVERTERS.
2. SURGE BIN, AGGREGATE HOLDING, 4-COMPARTMENT, 300-TON TOTAL CAPACITY.
3. BUCKET ELEVATOR, AGGREGATE TRANSFERRING, 15 H.P. WITH A 3 H.P. CHARGING BELT CONVEYOR.
4. SURGE BIN, AGGREGATE HOLDING, 6-COMPARTMENT, 125-TON TOTAL CAPACITY WITH A 1/4 H.P. CHARGING DISTRIBUTOR.

FILE COPY

PAGE 1 OF 2 PAGES

This initial permit must be renewed by 06/01 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXX

J. A. STUART
EXECUTIVE OFFICER

BY MARILYN MARTIN

DATE 04/28/86

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

M 48290

CONTINUATION OF PERMIT NO. _____
(MUST BE DISPLAYED WITH PERMIT)

APPL. NO. 135375


5. WEIGH HOPPER, AGGREGATE.
6. BELT CONVEYOR, BATCHED AGGREGATE TRANSFERRING, 25 H.P.
7. PNEUMATIC CONVEYOR, CEMENT TRANSFERRING WITH A 25 H.P. BLOWER.
8. WEIGH HOPPER, CEMENT.
9. GATHERING HOPPER, ADJUSTABLE, AIR-OPERATED.

-CONDITIONS-

1. THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE CEMENT WEIGH HOPPER AND THE BATCH DISCHARGING STATION IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
2. AGGREGATE CHARGED, AND AGGREGATE IN PROCESS MUST BE KEPT SUFFICIENTLY MOIST TO PREVENT DUST EMISSIONS.
3. CONCRETE PRODUCED MUST NOT EXCEED 1200 CU. YDS. IN ANY ONE DAY.

2 2
PAGE OF PAGES

FILE COPY



[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#)

Application Details

Application/ Tracking Number A21685

Facility Information

Business Name

Facility ID 15998

Facility Status

Application Information

Application Type

Application Received

Application Status

Application Deemed Complete

Equipment Desc AGGREGATE CONVEYING

Permit Number

Permit Status

INACTIVE


Engineer Information

Engineer Assigned

Engineer Phone

Team Assigned

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



P 24598
Sector F

Operation under this permit must be conducted in compliance with all data and specifications included with the application under which this permit is issued. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 10(c), this Permit to Operate must be posted or accessible.

LEGAL OWNER OR OPERATOR: UNITED READY MIXED CONCRETE COMPANY, INCORPORATED

Appl. No. A-47570

PREVIOUS PERMIT NUMBER P-6016

EQUIPMENT LOCATED AT: 4988 EAST FIRESTONE BOULEVARD
SOUTH GATE, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS: CEMENT RECEIVING AND STORAGE SYSTEM CONSISTING OF:

1. RECEIVING HOPPER, CEMENT.
2. SCREW CONVEYOR, CEMENT, UNDERGROUND, 5 H.P.
3. BUCKET ELEVATOR, CEMENT, 5 H.P.
4. SURGE BIN, CEMENT, TWO COMPARTMENT, WITH A 50 SQ. FT. 1A MAR SILO VENT, AND A 4" DIA. PNEUMATIC FILL TUBE.
5. STORAGE SILO, CEMENT OVERFLOW, WITH GRAVITY CHUTE.
6. SCREW CONVEYOR, CEMENT, RECIRCULATING, 3 H.P.

- SUBJECT TO THE FOLLOWING CONDITION -

THE FILTER CLOTH IN THE CEMENT SILO FILTER VENT MUST BE THOROUGHLY CLEANED IMMEDIATELY AFTER EACH LOAD OF CEMENT IS RECEIVED.

THIS PERMIT BECOMES VOID UPON ANY CHANGE OF OWNERSHIP OR ADDRESS, OR ANY ALTERATION

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 20, Chapter 2, Article 3, of the Health and Safety Code of the State of California or the Rules and Regulations of the Air Pollution Control District. This permit cannot be considered as permission to violate existing laws, ordinances, regulation or statutes of other governmental agencies.

"Filing fee only - total cost of permit - filing fee paid on validation number 72363, dated December 28, 1967."

VOID UNLESS VALIDATED

AIR POLLUTION CONTROL OFFICER

BY Beth Malin
Beth Malin, Permit Section
February 20, 1968

DATE



P49662

SECTOR EB

Operation under this permit must be conducted in compliance with all data and specifications included with the application under which this permit is issued. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 10(c), this Permit to Operate must be posted or accessible.

LEGAL OWNER
OR OPERATOR: UNITED READY MIXED CONCRETE CO., INC.

Appl. No. A-68869

EQUIPMENT
LOCATED AT: 4988 EAST FIRESTONE BOULEVARD
SOUTH GATE, CALIFORNIA

EQUIPMENT
DESCRIPTION
AND
CONDITIONS: AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, CON-FAB, 4-COMPARTMENT, REVERSE AIR CLEANING, 1,400 SQ. FT. DACRON FILTER CLOTH, WITH A 2 H.P. DISCHARGING SCREW CONVEYOR.
2. EXHAUST SYSTEM WITH A 10 H.P. BLOWER VENTING THE BATCH DISCHARGING STATION OF A TRANSIT-MIXED CONCRETE BATCH PLANT.

- SUBJECT TO THE FOLLOWING CONDITION -

DUSTS COLLECTED IN THE BAGHOUSE MUST BE DISCHARGED ONLY INTO CLOSED CONTAINERS.

THIS PERMIT BECOMES VOID UPON ANY CHANGE OF OWNERSHIP OR ADDRESS, OR ANY ALTERATION

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 20, Chapter 2, Article 3, of the Health and Safety Code of the State of California or the Rules and Regulations of the Air Pollution Control District. This permit cannot be considered as permission to violate existing laws, ordinances, regulation or statutes of other governmental agencies.

VOID UNLESS VALIDATED


AIR POLLUTION CONTROL OFFICER

BY

Helen Thompson, Permit Section

DATE

May 24, 1972



[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#)

Application Details

Application/ Tracking Number A68870

Facility Information

Business Name

Facility ID 15998

Facility Status

Application Information

Application Type

Application Received

Application Status

Application Deemed Complete

Equipment Desc CONCRETE BATCH EQUIPMENT; BAGHOUSE

Permit Number

Permit Status

INACTIVE

Engineer Information

Engineer Assigned

Engineer Phone

Team Assigned

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



P49662

SECTOR EB

Operation under this permit must be conducted in compliance with all data and specifications included with the application under which this permit is issued. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 10(c), this Permit to Operate must be posted or accessible.

LEGAL OWNER
OR OPERATOR: UNITED READY MIXED CONCRETE CO., INC.

Appl. No. A-68869

EQUIPMENT
LOCATED AT: 4988 EAST FIRESTONE BOULEVARD
SOUTH GATE, CALIFORNIA

EQUIPMENT
DESCRIPTION
AND
CONDITIONS: AIR POLLUTION CONTROL SYSTEM CONSISTING OF:
1. BAGHOUSE, CON-FAB, 4-COMPARTMENT, REVERSE AIR CLEANING, 1,400 SQ. FT.
DACRON FILTER CLOTH, WITH A 2 H.P. DISCHARGING SCREW CONVEYOR.
2. EXHAUST SYSTEM WITH A 10 H.P. BLOWER VENTING THE BATCH DISCHARGING
STATION OF A TRANSIT-MIXED CONCRETE BATCH PLANT.

- SUBJECT TO THE FOLLOWING CONDITION -

DUSTS COLLECTED IN THE BAGHOUSE MUST BE DISCHARGED ONLY INTO CLOSED CONTAINERS.

THIS PERMIT BECOMES VOID UPON ANY CHANGE OF OWNERSHIP OR ADDRESS, OR ANY ALTERATION


This permit does not authorize the emission of air contaminants in excess of those allowed by Division 20, Chapter 2, Article 3, of the Health and Safety Code of the State of California or the Rules and Regulations of the Air Pollution Control District. This permit cannot be considered as permission to violate existing laws, ordinances, regulation or statutes of other governmental agencies.

JUN 7 1972 AIR 4 3 16
VOID UNLESS VALIDATED

AIR POLLUTION CONTROL OFFICER

BY *Helen Thompson*
Helen Thompson, Permit Section

DATE May 24, 1972



[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#)

Application Details

Application/ Tracking Number A68870

Facility Information

Business Name

Facility ID 15998

Facility Status

Application Information

Application Type

Application Received

Application Status

Application Deemed Complete

Equipment Desc CONCRETE BATCH EQUIPMENT; BAGHOUSE

Permit Number

Permit Status

INACTIVE


Engineer Information

Engineer Assigned

Engineer Phone

Team Assigned

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#) | [Transportation](#)

Compliance

Facility ID 15998
Company Name UNITED READY MIXED CONCRETE CO INC
Address 4988 E FIRESTONE BLVD
SOUTH GATE, CA 90280


Notices Of Violation

Notice Number	Notice Issue Date	Violation Date	Disposition Date	Disposition
Z21985	7/ 22/ 1985	7/ 22/ 1985	10/ 10/ 1985	Closed Case
Z18358		4/ 24/ 1987	9/ 16/ 1987	Closed Case

[First](#) [Prev](#) Page 1 of 1 (2 records) [Next](#) [Last](#) Page 1 [Export To Excel](#)

Notices To Comply: NONE

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



[Search Again](#) |
 [Search Results](#) |
 [Facility Details](#) |
 [Equipment List](#) |
 [Compliance](#) |
 [Emissions](#) |
 [Hearing Board](#) |
 [Transportation](#)

NOV/NC Details

Notice Number	Z21985	Violation Date	7/ 22/ 1985	Issue Date	10/ 10/ 1985	Notice Type	NOV
---------------	--------	----------------	-------------	------------	--------------	-------------	-----

Facility ID	15998
Company Name	UNITED READY MIXED CONCRETE CO. INC.
Address	4988 E FIRESTONE SOUTH GATE,

Violation Description	
Equipment Description	CONCRETE BATCH PLANT
Follow Up Status	

Disposition	Closed Case
Disposition Date	10/ 10/ 1985

Rule No.	Rule Description
203	Permit to Operate

[Home](#) |
 [Employment](#) |
 [Contact Us](#) |
 [Terms & Conditions](#) |
 [Privacy](#) |
 [Website Navigation Tips](#) |
 [Question or Need Info?](#) |
 [Report Website Problem](#)
 21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



[Search Again](#) |
 [Search Results](#) |
 [Facility Details](#) |
 [Equipment List](#) |
 [Compliance](#) |
 [Emissions](#) |
 [Hearing Board](#) |
 [Transportation](#)

NOV/NC Details

Notice Number Z18358 Violation Date 4/ 24/ 1987 Issue Date 9/ 16/ 1987 Notice Type NOV

Facility ID 15998

Company Name UNITED READY MIXED CONCRETE CO., INC.

Address 4988 FIRESTONE
 SOUTH GATE,

Violation Description

Equipment Description CONCRETE STORAGE


Follow Up Status

Disposition Closed Case

Disposition Date 9/ 16/ 1987

Rule No.	Rule Description
201	Permit To Construct

[Home](#) |
 [Employment](#) |
 [Contact Us](#) |
 [Terms & Conditions](#) |
 [Privacy](#) |
 [Website Navigation Tips](#) |
 [Question or Need Info?](#) |
 [Report Website Problem](#)
 21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)



[Search Again](#) | [Search Results](#) | [Facility Details](#) | [Equipment List](#) | [Compliance](#) | [Emissions](#) | [Hearing Board](#) | [Transportation](#)

Hearing Board

Facility ID 15998

Company Name UNITED READY MIXED CONCRETE CO INC

Address 4988 E FIRESTONE BLVD
SOUTH GATE, CA 90280

[View Hearing Board Documents](#)

Cases from Year 2003

This Facility has no Hearing Board Cases

[Home](#) | [Employment](#) | [Contact Us](#) | [Terms & Conditions](#) | [Privacy](#) | [Website Navigation Tips](#) | [Question or Need Info?](#) | [Report Website Problem](#)
21865 Copley Dr, Diamond Bar, CA 91765 - (909) 396-2000 - (800) CUT-SMOG (288-7664)